



Certificate: 80282161

Master Contract: 306498

Project: 80282161

Date Issued: 2026-04-24

Two to four conductors, round construction

Model(s)	Rated Temperature (°C)	Rated Voltage (V)	Flame Rating	Insulation Type	Jacket Type	Notes
NMD90	90, optional -25	300	FT1	PVC with Nylon covering	PVC	2

Note:

1. In sizes 14 to 8 AWG (solid copper), 14 to 6 AWG (stranded copper).
2. In sizes 14 to 8 AWG (solid copper), 14 to 2 AWG (stranded copper).

APPLICABLE REQUIREMENTS

Standards Used	Description
CSA C22.2 No. 48:25 - Tenth Edition	Nonmetallic sheathed cable



Certificate: 80282161


Master Contract: 306498

Project: 80282161

Date Issued: 2026-04-24

Notes:

Products certified under Class(es) C582102 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca





Supplement to Certificate of Compliance

Certificate: 80282161

Master Contract: 306498

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
80282161	2026-04-24	Certification of Type NMD90, rated 90°C, 300V, -25°C, FT1, round and flat cable construction, with PVC insulation and nylon covering, with PVC jacket, solid and stranded copper conductors, sizes in according to the standard. CSA Std. C22.2 No. 48-25.